

New Penn Bill Of Lading And Pickup/Return Web Service Table of Contents

New Penn Bill Of Lading And Pickup/Return Web Service	2
Web Service Version Changes	4
Version 7.0 Changes	4
Version 8.0 Changes	4
Version 9.0 Changes	4
Version 10.0 Changes	4
QuickStart	5
New Penn Bill Of Lading And Pickup/Return Request	7
New Penn Bill Of Lading And Pickup/Return Response.....	29
Example XML Request.....	30
Example XML Response.....	34
New Penn Bill Of Lading And Pickup/Return WSDL changes.....	35
Test:.....	35
Production:	35

New Penn Bill Of Lading And Pickup/Return Web Service

This is a SOAP web service. The corresponding WSDL is located on the website next to this document.

The Bill Of Lading web service is a close duplicate of the web site Create Bill Of Lading and Returns Management web pages. Unlike the web pages, templates are not utilized within the web service. If you get a difference in results between the web pages and this web service please contact us.

In order to facilitate testing, we have set up a test web services server. The domain is **test.webservices.newpenn.com**. After testing is completed by you and confirmed by us, we will set you up on our production web services server domain: **www.webservices.newpenn.com**. The bottom of the wsdl contains a line with the local server domain (localhost:9080). You need to substitute it (localhost:9080) with either the test or production domains listed above. See [New Penn Bill Of Lading And Pickup/Return WSDL Changes](#) section below.

Special note: Use of the test web service when testing a bill of lading request with a pickup or return is crucial in order to prevent test pickups or returns from entering the production dispatch system.

Lastly, when using the test web services server, you will need to use the test server operating date as the shipment date. Our test server is a "snapshot" in time from our production system and therefore will have the operating date when the snapshot was taken. Traditionally this snapshot is taken each month on the Thursday before the fourth Saturday of the month. As always, you may contact us to obtain the test operating date.

Please note the field size specifications in the documentation below. When the length of a particular field exceeds the maximum length described, the web service will do one of two things:

First, if the field can be truncated, we will truncate the field down to the maximum length allowed replacing the last two characters with "***". The double asterisk will be our way of identifying the field(s) that were successfully truncated. Also we will return an informational message like "We accepted your transaction by truncating data, see web service documentation".

Secondly, if we cannot truncate a field, we will return an error message id "WEB8000" and a corresponding error message with the name and truncated value of the field.

New Penn's IT department assigns the user id and password for the web service. New Penn's IT department can be reached via email at **webservices@newpenn.com**. It is important to remember the user id and password for the web service are NOT the same as the user id and password for the web page. The user id and password for the web service are issued on a company level whereas the user id and password for the web page are issued on a personal user level.

Some important tips to remember when using the bill of lading web service.

- 1) When creating a new bill of lading, the MODE will be passed as CREATE.
- 2) When changing an existing bill of lading, the MODE will be passed as CHANGE and a valid tracking number must be passed.
- 3) When canceling an existing bill of lading, the MODE will be passed as CANCEL and a valid tracking number must be passed.
- 4) The population/usage of bill of lading fields relating to Puerto Rico shipments are only valid when the shipment is destined for Puerto Rico. If your shipment is not destined for Puerto Rico, the please leave these fields blank.
- 5) When entering a NEW bol request with an associated pickup, the ready time must be at least one hour prior to the close time. If the pickup is for the current business day the close time cannot be earlier than 10:00. In addition, if the pickup is for the current business day it must be entered prior to 16:00.
- 6) A bill of lading where there is also an associated pickup requested, can be tracked by the New Penn tracking number /pickup label number as soon as the request for pickup has been approved by the New Penn customer service department. Tracking may also be performed by the shipper supplied bol but only after the shipment has been picked up and a New Penn pro has been cut for the shipment.

Web Service Version Changes

Version 7.0 Changes 02/21/2012

- 1) Remove output parameter returnBolNumber (Field 500)
- 2) Remove output parameter returnTransactionNumber (Field 503)
- 3) returnMessage – Output field order and numbering change old(501) new(500).
- 4) returnMessageld – Output field order and numbering change old(502) new(501).
- 5) returnSuccessIdentifier - Output field order and numbering change old(504) new(502).
- 6) returnUrlToViewAndPrintBol – Output field order and numbering change old(505) new (503).
- 7) returnUrlToViewAndPrintShippingLabels – Output field order and numbering change old(506) new (504).
- 8) Add output parameter returnTrackingLabelNumber (Field 505) – eight characters long. Contains the New Penn assigned shipment tracking number/pickup label number.

Version 8.0 Changes 09/24/2013

- 1) Input field consigneeSuite added (Field 23)

Version 9.0 Changes 01/20/2014

- 1) Input field rateQuoteNumber added (Field 7)
- 2) Add output parameter returnBarCodeNumber (Field 506) – nine characters long. Contains the New Penn bar code value.

Version 10.0 Changes 06/08/2018

- 1) Input field (146) “guaranteedDeliveryWindowDate” added after field “guaranteedDeliveryDate”; only valid for use when “guaranteedDeliveryOffering” is equal to ‘3’ – guaranteed by 3:30 pm.

QuickStart -- The minimum number of fields need to get a quick test going.

A complete listing of all request fields, values and error messages can be found in the table labeled--**New Penn Bill Of Lading And Pickup/Return Request (Request Parameters)**.

Also the output for the quick start is the same as the full request.

A complete listing of all response fields, values, and description can be found in the table labeled--**New Penn Bill Of Lading And Pickup/Return Response (Response Parameters)**.

Field#	Fieldname	Description
1	webUserName	Fifty character; User name set up as trading partner id; Required.
2	webServicePassword	Fifty character; Web service user password; Required.
3	requestType	One character; Request type. Blank is default. 'R' is a Return.
4	transactionType	One character; Transaction type requested. bolyn = B is only BOL requested bolyn = C is BOL exists and Create the Pickup bolyn = Blank is bol AND Pickup requested;
5	programMode	Six character; Program Mode. Default to CREATE . Required.
8	shipperName	Thirty character; Shipper name; Required.
9	shipperStreetNumber	Six alphanumeric; Shipper street number; Optional.
10	shipperStreetName	Thirty character; Shipper street name; Required.
11	shipper CityName	Twenty character; Shipper city name; Required.
12	shipperStateName	Two character; Shipper state; Required.
13	shipperZipCode	Shipper zip code. Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada; Required.
14	shipperContactName	Thirty five character; Shipper contact name; Required.
15	shipperPhoneAreaCode	Three digit numeric; Area code portion of shipper phone number; Required.
16	shipperPhoneExchangeCode	Three digit numeric; Exchange portion of shipper phone number; Required.
17	shipperPhoneLastFour	Four digit numeric; Last four digits of shipper phone number; Required.
18	consigneeContactName	Thirty five character; Consignee contact name; Optional.
19	consigneePhoneAreaCode	Three digit numeric; Area code portion of consignee phone number; Required.
20	consigneePhoneExchangeCode	Three digit numeric; Exchange portion of consignee phone number; Required.
21	consigneePhoneLastFour	Four digit numeric; Last four digits of consignee phone number; Required.
22	consigneeName	Thirty character; Consignee name; Required.
23	consigneeStreetAddress	Thirty character; Consignee street address; Required.
25	consigneeCityName	Twenty character; Consignee city name; Required.
26	consigneeStateName	Two character; Consignee state name; Required.
27	consigneeZipCode	Consignee zip code. Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada; Required.
28	personEnteringBillOfLadingName	Thirty five character; Name of person entering the bill of lading under new shipper option; Required..
29	personEnteringBillOfLadingPhoneAreaCode	Three digit numeric; Area code portion of phone number corresponding to person entering bill of lading under new shipper option; Required.
30	personEnteringBillOfLadingPhoneExchangeCode	Three digit numeric; Exchange portion of phone number corresponding to person entering bill of lading under new shipper option; Required.

31	personEnteringBillOfLadingPhoneLastFour	Four digit numeric; Last four digits of phone number corresponding to person entering bill of lading under new shipper option; Required..
32	shipmentDate	Ten character; Requested shipment date; Format MM/DD/YYYY Required.
33	shipperOpenTime *	Four digit numeric; Entered as military time. Shipper open time; Required. *Note - Current time (*Now) used if for today and open time not passed.
34	shipperCloseTime	Four digit numeric; Entered as military time. Shipper close time; Required.
35	freightPaymentTerms	One character; Freight payment terms. Use "P" for prepaid Use "C" for collect; Required.
61	quantityLine1	Four digit numeric; Quantity of first item you are shipping; Required.
62	shippingUnitTypeLine1	Three characters; Shipping unit type of the first item. Valid shipping types are: BDL - bundle CRT - crate CTN - carton DRM - drum LNG - long PLT - pallet REL - reel ROL - roll TOT - tote PAL - pail Required.
63	descriptionOfArticlesLine1	Sixty character; Description of articles for first item; Required.
64	comodityClassLine1	Four character; Shipping commodity class of first item. Valid shipping commodity classes are: 50 55 60 65 70 775 85 925 100 110 125 150 175 200 250 300 400 500; Required.
65	weightLine1	Five digit numeric; Weight of first item; Required.

New Penn Bill Of Lading And Pickup/Return Request

REQUEST PARAMETERS

Field Number Identifier	XML Field Name	Required/Optional	Description	Error Message Id	Error Message
			If there are more than 5 errors in transaction you will receive this message.	WEB0299	*** Too many errors to display *** -
1	webUserName	REQUIRED	Fifty character; User name set up as trading partner id.	WEB9000 WEB0318 WEB0319	Unauthorized user - authentication failed. Userid And/Or Password Mismatch On Bol. Please Contact Web Support. Userid And/Or Password Mismatch On Pickup. Please Contact Web Support.
2	webServicePassword	REQUIRED	Fifty character; Web service user password.	WEB0282 WEB0282 WEB0282 WEB0324 WEB9000	Web Service is not activated. Please call IT Department to activate. Web Service is not activated. Please call IT Department to activate. Web Service is not activated. Please call IT Department to activate. Password: XXXXX Invalid password - authentication failed USERID: XXXXX Unauthorized user - authentication failed.
3	requestType	REQUIRED	One character; Request type. Blank is default. 'R' is a Return.	WEB0294	SHPR/CONS:9999999 *** Your userid is not valid for this shipper and/or consignee
4	transactionType	REQUIRED	One character; Transaction type requested. bolyn = B is only BOL requested bolyn = C is BOL exists and Create the Pickup bolyn = Blank is bol AND Pickup requested;	WEB0288 WEB0322 WEB0317 WEB0393 WEB8000	Invalid Transaction Type. Cancellation not allowed with BOL only type request New Shipper Not Valid With Pickup Only Request. Invalid Transaction Type and Program Mode Combination. Data truncation error
5	programMode	REQUIRED	Six character; Program Mode. There are three possibilities for this field. Default to CREATE.	WEB0199	Invalid Transaction Mode. Please select either CREATE, CHANGE, Or CANCEL.

			Other valid modes are CHANGE, and CANCEL.		
				WEB0323	This pickup/pickup request has already been cancelled.
				WEB0327	Already In Cancel Status And May Not Be Changed.
				WEB0016	Canceled pickups may not be changed or canceled.
				WEB0017	Serviced and arrived status pickups may not be changed or canceled.
				WEB0018	Enroute status pickups may not be canceled.
				WEB0019	Please contact your servicing terminal to change or cancel spotted trailers.
				WEB0020	Hot shipments must be maintained by contacting your servicing terminal.
				WEB0052	Invalid update mode. Please contact web site support for this error.
				WEB0393	Invalid Transaction Type and Program Mode Combination.
				WEB0306	No updates performed.
6	trackingNumber		Eight character; Tracking number also referred to as the New Penn pickup label number. Ignored when creating a new bol. Required for a change or cancel.	WEB0013	A valid pickup must be selected before requesting a change or a cancel.
				WEB0201	A valid shipping location or "New Shipper" must be selected to proceed.
				WEB0114	Bill Of Lading cannot be found. Please contact your servicing terminal.
				WEB0022	Cannot change the pickup date on enroute status or daily pickups.
				WEB0320	Shipper name,address,city,state,or zip entered does not match bol.
				WEB0151	No changes to the Bill Of Lading were recognized.
				WEB0051	No changes to the pickup were recognized.
				WEB0300	Bill of Lading not added.
				WEB0301	Pickup not added.
				WEB0302	Bill of Lading not changed.
				WEB0303	Pickup not changed.
				WEB0304	Bill Of Lading not canceled.
				WEB0305	Pickup not canceled.
				WEB0013	A valid pickup must be selected before requesting a change or a cancel.
				WEB0014	Pickup cannot be found. Please contact your servicing terminal.
				WEB0115	BOL changed since displayed. Return to BOL Entry main screen & try again.
				WEB0015	Pickup changed since displayed. Return to Pickup Entry main screen & try again.
				WEB0213	A valid Bill Of Lading must be selected before requesting a change or a cancel.
7	rateQuoteNumber		8 character; Rate Quote Number		
8	shipperName	REQUIRED	Thirty character; Shipper name.	WEB0372	Shipper name required if shipper not selected from list.
				WEB0320	Shipper name,address,city,state,or zip entered does not match bol.

9	shipperStreetNumber		Six alphanumeric; Shipper street number.	WEB0234	Full name and address of shipper is required if one is not selected.
				WEB0320	Shipper name,address,city,state,or zip entered does not match bol.
				WEB0001	A valid pickup location must be selected to proceed.
10	shipperStreetName	REQUIRED	Thirty character; Shipper street name.	WEB0364	Shipper street name is required if shipper not selected.
				WEB0320	Shipper name,address,city,state,or zip entered does not match bol.
11	shipper CityName	REQUIRED	Twenty character; Shipper city name.	WEB0365	Shipper city and state are required if one is not selected.
				WEB0320	Shipper name,address,city,state,or zip entered does not match bol.
12	shipperStateName	REQUIRED	Two character; Shipper state.	WEB0365	Shipper city and state are required if one is not selected.
				WEB0320	Shipper name,address,city,state,or zip entered does not match bol.
13	shipperZipCode	REQUIRED	Shipper zip code. Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada.	WEB0366	Shipper zip is required if one is not selected.
				WEB0157	The shipper city/state/zip not serviced by New Penn
				WEB0235	The shipper city/state/zip not found. Please check spelling and try again.
				WEB0243	Shipping point entered is not serviced by New Penn.
				WEB0320	Shipper name,address,city,state,or zip entered does not match bol.
				PND0111	Invalid Pickup Location
				PND0370	Guaranteed delivery option not available from this zip.
				WEB0002	The pickup location must be confirmed. Please contact your servicing terminal.
				WEB0003	The pickup location could not be found. Please contact your servicing terminal.
				WEB0004	Pickup terminal mismatch. Please contact your servicing terminal.
				WEB0005	City/State/Zip may be outside New Penn Service area.
				WEB0267	Call Corp Cust Service 1-800-950-5046 Ext 4370 For Puerto Rico Pickup Requests.
				WEB0321	Shipper name,address,city,state,or zip entered does not match pickup.
				WEB0138	Spotted Trailer Not Found. Spotted Trailer Details Not Added.
				WEB8000	Data truncation error
14	shipperContactName	REQUIRED	Thirty five character; Shipper contact name.	WEB0123	Shipper contact name is required.

15	shipperPhoneAreaCode	REQUIRED	Three digit numeric; Area code portion of shipper phone number.	WEB0124	Phone number of the shipper is required.
				WEB0119	Shipper phone number format is invalid. Please enter all digits of phone number.
16	shipperPhoneExchangeCode	REQUIRED	Three digit numeric; Exchange portion of shipper phone number.	WEB0124	Phone number of the shipper is required.
				WEB0119	Shipper phone number format is invalid. Please enter all digits of phone number.
17	shipperPhoneLastFour	REQUIRED	Four digit numeric; Last four digits of shipper phone number.	WEB0124	Phone number of the shipper is required.
				WEB0119	Shipper phone number format is invalid. Please enter all digits of phone number.
18	consigneeContactName		Thirty five character; Consignee contact name.	WEB0244	Contact name is a required field.
				PND0106	Contact name is required for guaranteed delivery option
19	consigneePhoneAreaCode	REQUIRED	Three digit numeric; Area code portion of consignee phone number.	WEB0120	Phone number of Consignee format invalid. Please enter all digits of phone number.
20	consigneePhoneExchangeCode	REQUIRED	Three digit numeric; Exchange portion of consignee phone number.	WEB0120	Phone number of Consignee format invalid. Please enter all digits of phone number.
21	consigneePhoneLastFour	REQUIRED	Four digit numeric; Last four digits of consignee phone number.	WEB0120	Phone number of Consignee format invalid. Please enter all digits of phone number.
22	consigneeName	REQUIRED	Thirty character; Consignee name.	WEB0367	Consignee name is required if one is not selected.
23	consigneeStreetAddress	REQUIRED	Thirty character; Consignee street address.	WEB0368	Consignee address is required if one is not selected.
				PND0107	Cons, Address, City/St/Zip required for guaranteed delivery option.
24	consigneeSuite		Thirty character, Consignee Suite #, Building #, Floor #, Door #, Apartment #, Dock# etc.		
25	consigneeCityName	REQUIRED	Twenty character; Consignee city name.	WEB0369	Consignee city is required if one is not selected.
				PND0112	Invalid City/State/Zip combination for guaranteed delivery option.
26	consigneeStateName	REQUIRED	Two character; Consignee state name.	WEB0370	Consignee state is required if one is not selected.
27	consigneeZipCode	REQUIRED	Consignee zip code. Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada.	WEB0372	Consignee zip is required if one is not selected.
				WEB0158	The consignee city/state/zip not serviced by New Penn.
				WEB0027	The consignee city/state/zip not found. Please check spelling and try again.
				PND0136	Guaranteed delivery option not available to this zip.
				PND0135	Guaranteed delivery option not available for non-direct points.

				PND0369	Guaranteed delivery option to this zip not available from Maine.
				WEB0360	Shipper Name and Address is the same as Consignee Name and Address. Please correct one of the names/addresses.
				WEB0265	Service Not Available To This State Until xx/xx/xxxx.
				WEB0264	Please contact your servicing terminal.
				WEB0029	The consignee city/state/zip is incorrect. Please contact your servicing termnl.
				WEB0030	Consignee selected not found. Please enter it as a new consignee.
				WEB8000	Data truncation error
28	personEnteringBillOfLadingName	REQUIRED	Thirty five character; Name of person entering the bill of lading under new shipper option.	WEB0223	The name of the person entering the bill of lading is required.
29	personEnteringBillOfLadingPhoneAreaCode	REQUIRED	Three digit numeric; Area code portion of phone number corresponding to person entering bill of lading under new shipper option.	WEB0224	Phone number of the person entering the bill of lading is required.
				WEB0024	Phone number of the person entering the pickup is required.
				WEB0116	Phone number of person entering BOL format invalid.
30	personEnteringBillOfLadingPhoneExchangeCode	REQUIRED	Three digit numeric; Exchange portion of phone number corresponding to person entering bill of lading under new shipper option.	WEB0224	Phone number of the person entering the bill of lading is required.
				WEB0116	Phone number of person entering BOL format invalid
31	personEnteringBillOfLadingPhoneLastFour	REQUIRED	Four digit numeric; Last four digits of phone number corresponding to person entering bill of lading under new shipper option.	WEB0224	Phone number of the person entering the bill of lading is required.
				WEB0116	Phone number of person entering BOL format invalid
32	shipmentDate	REQUIRED	Ten character; Requested shipment date; Format MM/DD/YYYY.	WEB0106	Bill Of Lading date is not valid. Please contact your servicing terminal.
				WEB0006	Pickup date is not valid. Please contact your servicing terminal.
				WEB0107	Bill Of Lading date is too early based on the current date at servicing terminal.
				WEB0007	Pickup date is too early based on the current date at the servicing terminal.
				WEB0109	Bill Of Lading date may not be more than 5 business days into the future.
				WEB0009	Pickup date may not be more than 5 business days into the future.
				PND0373	Pickup Date may not be more than 5 business days in the future.
				WEB0110	Bill Of Lading date may not be on a Saturday or a Sunday.
				WEB0010	Pickup date may not be on a Saturday or a Sunday.

				WEB0108	Bill Of Lading date is too early based on the current system date.
				WEB0008	Pickup date is too early based on the current system date.
				WEB0113	Bill Of Lading date is earlier than a day ago.
				WEB0122	Pickup date is earlier than a day ago.
				WEB0112	Cannot create duplicate. A bill of lading with the same date, consignee & weight exists.
				WEB0012	Cannot create duplicate. A pickup with the same date, consignee & weight exists.
					.
33	shipperOpenTime *	REQUIRED	Four digit numeric; Entered as military time. Shipper open time. *Note - Current time (*Now) used if for today and open time not passed. Open time required if not for today.	WEB0200	Invalid Open Time. Open Time Must Be Between 07:00 And 23:30.
				WEB0336	*Now is not a valid ready time if the bill of lading date is not today.
				WEB0036	*Now is not a valid ready time if the pickup date is not today.
34	shipperCloseTime	REQUIRED	Four digit numeric; Entered as military time. Shipper close time.	WEB0037	Ready to close < 1 hour. Please call origin terminal for special arrangements.
				WEB0038	Current to close < 1 hour. Please call origin terminal for special arrangements.
				WEB0202	Invalid Close Time. Close Time Must Be Between 07:00 And 23:30.
				WEB0153	Please contact your New Penn terminal to arrange a time for this pickup.
35	freightPaymentTerms	REQUIRED	One character; Freight payment terms. Use "P" for prepaid Use "C" for collect.	WEB0239	Invalid freight payment terms.
36	deliveryAppointmentRequiredYN		One character; Does delivery required an appointment?.	WEB0315	Delivery appointment? must be Y or Blanks.
				WEB0031	Delivery appointment required for the selected consignee.
				WEB0126	Phone number of consignee required if delivery appointment requested.
37	purchaseOrderNumber		Twenty character; Purchase order or other reference number; Required for appointment deliveries.	WEB0032	Purchase order required for delivery appointments.
				WEB0033	Purchase order required if delivery appointment requested.
				WEB0130	Return Authorization Number required for delivery appointments.
				WEB0131	Return Authorization Number required if delivery appointments are required.
38	noPurchaseOrderNumber		One character; No purchase order number given flag.	WEB0133	Cannot enter Purchase Order number and check none box at the same time.
				WEB0132	Cannot enter Return Authorization Number and check None box at the same time.
				WEB0316	Purchase order box stating no PO required must be either Y or blanks.

39	shipperSuppliedBol		Thirty character; Shipper supplied bol number.		
40	thirdPartyAttentionName		Thirty five character; Third party "attention to" name; If any part of the third party fields are populated (name,attention, address,city,state,zip) they must all be populated.	WEB0226	Full name and address of third party is required.
41	thirdPartyName		Thirty character; Third party name; If any part of the third party fields are populated (name,attention, address,city,state,zip) they must all be populated.	WEB0226	Full name and address of third party is required.
42	thirdPartyAddress		Thirty character; Third party address.	WEB0226	Full name and address of third party is required.
43	thirdPartyCity		Twenty character; Third party city.	WEB0226	Full name and address of third party is required.
44	thirdPartyState		Two character; Third party state.	WEB0226	Full name and address of third party is required.
45	thirdPartyZipCode		Third party zip code. Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada.	WEB0226	Full name and address of third party is required.
46	codRemitToName		Thirty character; Remit cod check to name. If any part of the cod remit to fields are populated (name, address,city,state,zip) they must all be populated.	WEB0228	Full name and address of COD remit to is required.
47	codRemitToAddress		Thirty character; Remit cod check to address.	WEB0228	Full name and address of COD remit to is required.
48	codRemitToCity		Twenty character; Remit cod check to city.	WEB0228	Full name and address of COD remit to is required.
49	codRemitToState		Two character; Remit cod check to state.	WEB0228	Full name and address of COD remit to is required.
50	codRemitToZipCode		Remit cod check to zip code. Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada.	WEB0228	Full name and address of COD remit to is required.
51	codFeeTerms		One character; Cod fee terms. Use "C" for collect. Use "P" for prepaid. Use blanks for non cod. When other cod info passed. Cod fee terms cannot be blank.	WEB0195 WEB0237	Invalid COD Fee Code. Please Pass "P" For Prepaid Or "C" For Collect. C.O.D. fee of prepaid or collect must be selected.
52	codCollectType		One character; Cod collect type. Use "Y" for company check or personal check Use "N" for cash, cashier's check, money order or certified check. Use blank for non cod.	WEB0196 WEB0238	Invalid COD Paymnt Code. Pass "Y"-Company Check "N"-Certified Check Or Blank.' C.O.D. payment type must be selected.
53	codDollarAmount		Seven digit, two decimal places; Cod dollar amount.	WEB0135 WEB0136 WEB0240	COD amount must be between 0.00 and 99999.99 Maximum of two decimal places allowed in COD amount C.O.D. amount required.
54	emergencyResponseNumberArea Code		Three digit numeric; Area code portion of phone number corresponding to the emergency response	WEB0025	Phone number format invalid. Please enter all digits of the phone number.

			number.		
				WEB0175	All Hazardous material shipments require an Emergency Response Phone Number.
55	emergencyResponseNumberExchangeCode		Three digit numeric; Exchange portion of phone number corresponding to the emergency response number.	WEB0025	Phone number format invalid. Please enter all digits of the phone number.
				WEB0175	All Hazardous material shipments require an Emergency Response Phone Number.
56	emergencyResponseNumberLastFour		Four digit numeric; Last four digits of phone number corresponding to the emergency response number.	WEB0025	Phone number format invalid. Please enter all digits of the phone number.
				WEB0175	All Hazardous material shipments require an Emergency Response Phone Number.
57	emergencyContactPerson		Thirty character; Name of person to notify in emergency. Optional.		
58	hazardousContract		Ten character; Contract# held with HazMat provider by your company if any.		
59	shipmentComment		Sixty character; Free form comment documenting shipment.		
60	shipperAndConsigneeRelatedCompanies		One character; Are Shipper and Consignee considered related companies?; This is for freight going to Puerto Rico only.	WEB0310	Shipper/Consignee related flag only valid for Puerto Rico shipments.
61	quantityLine1	REQUIRED	Four digit numeric; Quantity of first item you are shipping.	WEB0111	Please enter BOL shpg units,type,description,class and wgt.
				WEB0141	Number of shipping units quantity must be between 1 and 9999.
				WEB0142	Number of shipping units quantity may not contain decimals.
				WEB0039	Pallets quantity must be between 0 and 99.
				WEB0040	Pallets quantity may not contain decimals.
				WEB0041	Cartons quantity must be between 0 and 9999.
				WEB0042	Cartons quantity may not contain decimals.
				WEB0043	Drums quantity must be between 0 and 200.
				WEB0044	Drums quantity may not contain decimals.
				WEB0045	Long quantity must be between 0 and 99.
				WEB0046	Long quantity may not contain decimals.
				WEB0047	At least one shipping unit is required.
				WEB0048	Only 3 of the 4 different shipping unit types may be entered on one pickup.
				WEB0108	Only 3 of the 4 different shipping unit types may be entered on one BOL.
				WEB0159	Invalid quantity - Total quantity is greater than 9999.
				WEB8000	Data truncation error
62	shippingUnitTypeLine1	REQUIRED	Three character; Shipping unit type of the first item. Valid shipping types are: BDL - bundle CRT - crate CTN - carton DRM - drum LNG - long PLT - pallet REL - reel ROL - roll	WEB0143	Invalid shipping unit type

			TOT – tote PAL - pail		
				WEB0198	Invalid Shipment Unit Type.
63	descriptionOfArticlesLine1	REQUIRED	Sixty character; Description of articles for first item.	WEB0230 WEB0137	Description of articles cannot be blank Double Quotes Invalid in Description of Articles
				WEB0035	The weight may not contain decimals.
64	comodityClassLine1	REQUIRED	Four character; Shipping commodity class of first item. Valid shipping commodity classes are: 50 55 60 65 70 775 85 925 100 110 125 150 175 200 250 300 400 500	WEB0231	Class cannot be blank
				WEB0197	Invalid class.
65	weightLine1	REQUIRED	Five digit numeric; Weight of first item.	WEB0034 WEB8000	The total weight must be between 1 and 45000 and entered without a comma. Data truncation error
66	hazardousMaterialIndicatorLine1		One character; Hazardous material indicator. Valid values are: 'Y' - hazardous Blank not hazardous.	WEB0232	Invalid hazardous material id
67	poisonIndicatorLine1		One character; Poison indicator. Valid values are: 'Y' - poisonous Not 'Y' - not poisonous;	WEB0268 WEB0272 WEB0271	Invalid poison id. Shipment cannot contain both Food and Poison. Line item cannot be both poison and food
68	foodIndicatorLine1		One character; Food indicator. Valid values are: 'Y' - food/drug Not 'Y' - not food/drug.	WEB0269 WEB0272 WEB0271	Invalid food id. Shipment cannot contain both Food and Poison. Line item cannot be both poison and food
69	declaredValueDollarsLine1		Seven digit numeric; Whole dollar amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283 WEB0311	Invalid value entered for Puerto Rico DeclaredValue. Detail line declared value only valid for Puerto Rico shipments.

				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
70	declaredValueCentsLine1		Two digit numeric; Decimal amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
71	scheduleBNumber1		10 Alphanumeric: Schedule B number: This is for freight going to Puerto Rico only.	WEB0312	Detail line schedule B only valid for Puerto Rico shipments
72	quantityLine2		Four digit numeric; Quantity of second item you are shipping..	WEB0111	Please enter BOL shpg units,type,description,class and wgt.
				WEB0141	Number of shipping units quantity must be between 1 and 9999.
				WEB0142	Number of shipping units quantity may not contain decimals.
				WEB0039	Pallets quantity must be between 0 and 99.
				WEB0040	Pallets quantity may not contain decimals.
				WEB0041	Cartons quantity must be between 0 and 9999.
				WEB0042	Cartons quantity may not contain decimals.
				WEB0043	Drums quantity must be between 0 and 200.
				WEB0044	Drums quantity may not contain decimals.
				WEB0045	Long quantity must be between 0 and 99.
				WEB0046	Long quantity may not contain decimals.
				WEB0047	At least one shipping unit is required.
				WEB0048	Only 3 of the 4 different shipping unit types may be entered on one pickup.
				WEB0108	Only 3 of the 4 different shipping unit types may be entered on one BOL.
				WEB0159	Invalid quantity - Total quantity is greater than 9999.
				WEB8000	Data truncation error
73	shippingUnitTypeLine2		Three character; Shipping unit type of the second item. Valid shipping types are: BDL - bundle CRT - crate CTN - carton DRM - drum LNG - long PLT - pallet REL - reel ROL - roll TOT - tote PAL - pail	WEB0143	Invalid shipping unit type
				WEB0198	Invalid Shipment Unit Type.
74	descriptionOfArticlesLine2		Sixty character; Description of articles for second item.	WEB0230	Description of articles cannot be blank
				WEB0137	Double Quotes Invalid in Description of Articles
75	comodityClassLine2		Four character; Shipping commodity class of second item. Valid shipping commodity classes are: 50 55	WEB0231	Class cannot be blank

			60 65 70 775 85 925 100 110 125 150 175 200 250 300 400 500		
				WEB0197	Invalid class.
76	weightLine2		Five digit numeric; Weight of second item.	WEB0034	The total weight must be between 1 and 45000 and entered without a comma.
				WEB0035	The weight may not contain decimals.
				WEB8000	Data truncation error
77	hazardousMaterialIndicatorLine2		One character; Hazardous material indicator. Valid values are: 'Y' - hazardous Blank not hazardous.	WEB0232	Invalid hazardous material id
78	poisonIndicatorLine2		One character; Poison indicator. Valid values are: 'Y' - poisonous Not 'Y' - not poisonous;	WEB0268	Invalid poison id.
				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
79	foodIndicatorLine2		One character; Food indicator. Valid values are: 'Y' - food/drug Not 'Y' - not food/drug.	WEB0269	Invalid food id.
				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
80	declaredValueDollarsLine2		Seven digit numeric; Whole dollar amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
81	declaredValueCentsLine2		Two digit numeric; Decimal amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
82	scheduleBNumber2		10 Alphanumeric: Schedule B number: This is for freight going to Puerto Rico only.	WEB0312	Detail line schedule B only valid for Puerto Rico shipments
83	quantityLine3		Four digit numeric; Quantity of third item you are shipping.	WEB0111	Please enter BOL shpg

					units,type,description,class and wgt.
				WEB0141	Number of shipping units quantity must be between 1 and 9999.
				WEB0142	Number of shipping units quantity may not contain decimals.
				WEB0039	Pallets quantity must be between 0 and 99.
				WEB0040	Pallets quantity may not contain decimals.
				WEB0041	Cartons quantity must be between 0 and 9999.
				WEB0042	Cartons quantity may not contain decimals.
				WEB0043	Drums quantity must be between 0 and 200.
				WEB0044	Drums quantity may not contain decimals.
				WEB0045	Long quantity must be between 0 and 99.
				WEB0046	Long quantity may not contain decimals.
				WEB0047	At least one shipping unit is required.
				WEB0048	Only 3 of the 4 different shipping unit types may be entered on one pickup.
				WEB0108	Only 3 of the 4 different shipping unit types may be entered on one BOL.
				WEB0159	Invalid quantity - Total quantity is greater than 9999.
				WEB8000	Data truncation error
84	shippingUnitTypeLine3		Three character; Shipping unit type of the third item. Valid shipping types are: BDL - bundle CRT - crate CTN - carton DRM - drum LNG - long PLT - pallet REL - reel ROL - roll TOT - tote PAL - pail	WEB0143	Invalid shipping unit type
				WEB0198	Invalid Shipment Unit Type.
85	descriptionOfArticlesLine3		Sixty character; Description of articles for third item	WEB0230	Description of articles cannot be blank
				WEB0137	Double Quotes Invalid in Description of Articles
86	comodityClassLine3		Four character; Shipping commodity class of third item. Valid shipping commodity classes are: 50 55 60 65 70 775 85 925 100 110 125 150 175 200 250 300	WEB0231	Class cannot be blank

			400 500		
				WEB0197	Invalid class.
87	weightLine3		Five digit numeric; Weight of third item.	WEB0034	The total weight must be between 1 and 45000 and entered without a comma.
				WEB0035	The weight may not contain decimals.
				WEB8000	Data truncation error
88	hazardousMaterialIndicatorLine3		One character; Hazardous material indicator. Valid values are: 'Y' - hazardous Blank not hazardous.	WEB0232	Invalid hazardous material id
89	poisonIndicatorLine3		One character; Poison indicator. Valid values are: 'Y' - poisonous Not 'Y' - not poisonous;	WEB0268	Invalid poison id.
				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
90	foodIndicatorLine3		One character; Food indicator. Valid values are: 'Y' - food/drug Not 'Y' - not food/drug.	WEB0269	Invalid food id.
				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
91	declaredValueDollarsLine3		Seven digit numeric; Whole dollar amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
92	declaredValueCentsLine3		Two digit numeric; Decimal amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
93	scheduleBNumber3		10 Alphanumeric: Schedule B number: This is for freight going to Puerto Rico only.	WEB0312	Detail line schedule B only valid for Puerto Rico shipments
94	quantityLine4		Four digit numeric; Quantity of fourth item you are shipping.	WEB0111	Please enter BOL shpg units,type,description,class and wgt.
				WEB0141	Number of shipping units quantity must be between 1 and 9999.
				WEB0142	Number of shipping units quantity may not contain decimals.
				WEB0039	Pallets quantity must be between 0 and 99.
				WEB0040	Pallets quantity may not contain decimals.
				WEB0041	Cartons quantity must be between 0 and 9999.
				WEB0042	Cartons quantity may not contain decimals.
				WEB0043	Drums quantity must be between 0 and 200.
				WEB0044	Drums quantity may not contain decimals.
				WEB0045	Long quantity must be between 0 and 99.
				WEB0046	Long quantity may not contain decimals.
				WEB0047	At least one shipping unit is required.
				WEB0048	Only 3 of the 4 different shipping unit types may be

					entered on one pickup.
				WEB0108	Only 3 of the 4 different shipping unit types may be entered on one BOL.
				WEB0159	Invalid quantity - Total quantity is greater than 9999.
				WEB8000	Data truncation error
95	shippingUnitTypeLine4		Three character; Shipping unit type of the fourth item. Valid shipping types are: BDL - bundle CRT - crate CTN - carton DRM - drum LNG - long PLT - pallet REL - reel ROL - roll TOT - tote PAL - pail	WEB0143	Invalid shipping unit type
				WEB0198	Invalid Shipment Unit Type.
96	descriptionOfArticlesLine4		Sixty character; Description of articles for fourth item.	WEB0230	Description of articles cannot be blank
				WEB0137	Double Quotes Invalid in Description of Articles
97	comodityClassLine4		Four character; Shipping commodity class of fourth item. Valid shipping commodity classes are: 50 55 60 65 70 775 85 925 100 110 125 150 175 200 250 300 400 500	WEB0231	Class cannot be blank
				WEB0197	Invalid class.
98	weightLine4		Five digit numeric; Weight of fourth item.	WEB0034	The total weight must be between 1 and 45000 and entered without a comma.
				WEB0035	The weight may not contain decimals.
				WEB8000	Data truncation error
99	hazardousMaterialIndicatorLine4		One character; Hazardous material indicator. Valid values are: 'Y' - hazardous Blank not hazardous.	WEB0232	Invalid hazardous material id
100	poisonIndicatorLine4		One character; Poison indicator. Valid values are: 'Y' - poisonous Not 'Y' - not poisonous;	WEB0268	Invalid poison id.

				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
101	foodIndicatorLine4		One character; Food indicator. Valid values are: 'Y' - food/drug Not 'Y' - not food/drug.	WEB0269	Invalid food id.
				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
102	declaredValueDollarsLine4		Seven digit numeric; Whole dollar amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
103	declaredValueCentsLine4		Two digit numeric; Decimal amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
104	scheduleBNumber4		10 Alphanumeric: Schedule B number: This is for freight going to Puerto Rico only.	WEB0312	Detail line schedule B only valid for Puerto Rico shipments
105	quantityLine5		Four digit numeric; Quantity of fifth item you are shipping	WEB0111	Please enter BOL shpg units,type,description,class and wgt.
				WEB0141	Number of shipping units quantity must be between 1 and 9999.
				WEB0142	Number of shipping units quantity may not contain decimals.
				WEB0039	Pallets quantity must be between 0 and 99.
				WEB0040	Pallets quantity may not contain decimals.
				WEB0041	Cartons quantity must be between 0 and 9999.
				WEB0042	Cartons quantity may not contain decimals.
				WEB0043	Drums quantity must be between 0 and 200.
				WEB0044	Drums quantity may not contain decimals.
				WEB0045	Long quantity must be between 0 and 99.
				WEB0046	Long quantity may not contain decimals.
				WEB0047	At least one shipping unit is required.
				WEB0048	Only 3 of the 4 different shipping unit types may be entered on one pickup.
				WEB0108	Only 3 of the 4 different shipping unit types may be entered on one BOL.
				WEB0159	Invalid quantity - Total quantity is greater than 9999.
				WEB8000	Data truncation error
106	shippingUnitTypeLine5		Three character; Shipping unit type of the first item. Valid shipping types are: BDL - bundle CRT - crate CTN - carton DRM - drum LNG - long PLT - pallet REL - reel ROL - roll	WEB0143	Invalid shipping unit type

		TOT – tote PAL - pail		
			WEB0198	Invalid Shipment Unit Type.
107	descriptionOfArticlesLine5	Sixty character; Description of articles for fifth item.	WEB0230 WEB0137	Description of articles cannot be blank Double Quotes Invalid in Description of Articles
108	comodityClassLine5	Four character; Shipping commodity class of fifth item. Valid shipping commodity classes are: 50 55 60 65 70 775 85 925 100 110 125 150 175 200 250 300 400 500	WEB0231	Class cannot be blank
			WEB0197	Invalid class.
109	weightLine5	Five digit numeric; Weight of fifth item.	WEB0034 WEB0035 WEB8000	The total weight must be between 1 and 45000 and entered without a comma. The weight may not contain decimals. Data truncation error
110	hazardousMaterialIndicatorLine5	One character; Hazardous material indicator. Valid values are: 'Y' - hazardous Blank not hazardous.	WEB0232	Invalid hazardous material id
111	poisonIndicatorLine5	One character; Poison indicator. Valid values are: 'Y' - poisonous Not 'Y' - not poisonous;	WEB0268 WEB0272 WEB0271	Invalid poison id. Shipment cannot contain both Food and Poison. Line item cannot be both poison and food
112	foodIndicatorLine5	One character; Food indicator. Valid values are: 'Y' - food/drug Not 'Y' - not food/drug.	WEB0269 WEB0272 WEB0271	Invalid food id. Shipment cannot contain both Food and Poison. Line item cannot be both poison and food
113	declaredValueDollarsLine5	Seven digit numeric; Whole dollar amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283 WEB0311 WEB0284	Invalid value entered for Puerto Rico DeclaredValue. Detail line declared value only valid for Puerto Rico shipments. Puerto Rico Declared Value dollars must be

					entered with quantity and description
114	declaredValueCentsLine5		Two digit numeric; Decimal amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
115	scheduleBNumber5		10 Alphanumeric: Schedule B number: This is for freight going to Puerto Rico only.	WEB0312	Detail line schedule B only valid for Puerto Rico shipments
116	QuantityLine6		Four digit numeric; Quantity of sixth item you are shipping	WEB0111	Please enter BOL shpg units,type,description,class and wgt.
				WEB0141	Number of shipping units quantity must be between 1 and 9999.
				WEB0142	Number of shipping units quantity may not contain decimals.
				WEB0039	Pallets quantity must be between 0 and 99.
				WEB0040	Pallets quantity may not contain decimals.
				WEB0041	Cartons quantity must be between 0 and 9999.
				WEB0042	Cartons quantity may not contain decimals.
				WEB0043	Drums quantity must be between 0 and 200.
				WEB0044	Drums quantity may not contain decimals.
				WEB0045	Long quantity must be between 0 and 99.
				WEB0046	Long quantity may not contain decimals.
				WEB0047	At least one shipping unit is required.
				WEB0048	Only 3 of the 4 different shipping unit types may be entered on one pickup.
				WEB0108	Only 3 of the 4 different shipping unit types may be entered on one BOL.
				WEB0159	Invalid quantity - Total quantity is greater than 9999.
				WEB8000	Data truncation error
117	shippingUnitTypeLine6		Three character; Shipping unit type of the sixth item. Valid shipping types are: BDL - bundle CRT - crate CTN - carton DRM - drum LNG - long PLT - pallet REL - reel ROL - roll TOT - tote PAL - pail	WEB0143	Invalid shipping unit type
				WEB0198	Invalid Shipment Unit Type.
118	descriptionOfArticlesLine6		Sixty character; Description of articles for sixth item.	WEB0230	Description of articles cannot be blank
				WEB0137	Double Quotes Invalid in Description of Articles
119	comodityClassLine6		Four character; Shipping commodity class of sixth item. Valid shipping commodity classes are: 50 55 60	WEB0231	Class cannot be blank

			65 70 775 85 925 100 110 125 150 175 200 250 300 400 500		
				WEB0197	Invalid class.
120	weightLine6		Five digit numeric; Weight of sixth item.	WEB0034	The total weight must be between 1 and 45000 and entered without a comma.
				WEB0035	The weight may not contain decimals.
				WEB8000	Data truncation error
121	hazardousMaterialIndicatorLine6		One character; Hazardous material indicator. Valid values are: 'Y' - hazardous Blank not hazardous.	WEB0232	Invalid hazardous material id
122	poisonIndicatorLine6		One character; Poison indicator. Valid values are: 'Y' - poisonous Not 'Y' - not poisonous;	WEB0268	Invalid poison id.
				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
123	foodIndicatorLine6		One character; Food indicator. Valid values are: 'Y' - food/drug Not 'Y' - not food/drug.	WEB0269	Invalid food id.
				WEB0272	Shipment cannot contain both Food and Poison.
				WEB0271	Line item cannot be both poison and food
124	declaredValueDollarsLine6		Seven digit numeric; Whole dollar amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
125	declaredValueCentsLine6		Two digit numeric; Decimal amount representing declared value of freight; This is for freight going to Puerto Rico only.	WEB0283	Invalid value entered for Puerto Rico DeclaredValue.
				WEB0311	Detail line declared value only valid for Puerto Rico shipments.
				WEB0284	Puerto Rico Declared Value dollars must be entered with quantity and description
126	scheduleBNumber6		10 Alphanumeric: Schedule B number: This is for freight going to Puerto Rico only; Optional.	WEB0312	Detail line schedule B only valid for Puerto Rico shipments
127	shipmentSizeInLength		Two digit numeric; Size of shipment length in feet. Especially used for freight longer	WEB0273	Invalid size - maximum length of 45 ft and

			than eight feet.		maximum width of nine feet.
				WEB0270	Both Length and Width must be enter together
128	shipmentSizeInWidth		Two digit numeric; Size of shipment width in feet. Especially used for freight wider than eight feet.	WEB0273	Invalid size - maximum length of 45 ft and maximum width of nine feet.
				WEB0270	Both Length and Width must be enter together
129	declaredValueDollars		Six digit numeric; Whole dollar amount representing declared value of freight.	WEB0313	Invalid value entered for Declared Value.
130	declaredValueCents		Two digit numeric; Decimal amount representing declared value of freight.	WEB0313	Invalid value entered for Declared Value.
131	excessLiabilityDollars		Six digit numeric; Whole dollar amount representing excess liability value of freight.	WEB0314	Invalid value entered for Excess Liability.
132	excessLiabilityCents		Two digit numeric; Decimal amount representing excess liability value of freight.	WEB0314	Invalid value entered for Excess Liability.
133	shipLabelStartPosition		Two digit numeric; Start position of label on page; 1 2 3 4 5 6	WEB0182	Enter number of labels to print for shipment or change starting label to 1.
				WEB0183	Invalid starting label number; number should be between 1 and 6.
134	numberOfShipLabelsDesired		Two digit numeric; Number of labels desired..	WEB0183	Invalid starting label number; number should be between 1 and 6.
135	bolEmailAddress		Two hundred and fifty character; Send copy of bol to this email address.	WEB0128	Email address format is invalid.
				WEB0129	Please enter valid email address for custom email message.
136	bolEmailComment		Two hundred and fifty six character; Email comment. If you wish to send along a comment with the emailed bol, enter it here.	WEB0129	Please enter valid email address for custom email message.
137	deliveryNotificationEmailAddress1		Two hundred and fifty six character; Email address you wish delivery notification to be sent to, if any.	WEB0128	Email address format is invalid.
				WEB0176	BOL and Pickup Request required for Delivery Notification email request.
138	deliveryNotificationEmailAddress2		Two hundred and fifty six character; Second email address you wish delivery notification to be sent to, if any.	WEB0128	Email address format is invalid.
				WEB0176	BOL and Pickup Request required for Delivery Notification email request.
139	damageOccursUponFreezing		One character; Use "F" if shipment contains materials that would be damaged due to freezing.	WEB0190	Invalid Freezable Code. Please Pass "F" For Freezable Or Blank.
				WEB0049	Unable to ship freezables to XX'. XX equals a state name.
				WEB0050	Unable to ship freezables to non-direct points in XX. XX equals a state name.
140	emptyTrailerRequired		One character; Use "E" if an empty trailer is desired.	WEB0191	Invalid Empty Required Code. Please Pass "E" For Empty Required Or Blank.

141	insideDelivery		One character; Use "I" if shipment requires inside delivery.	WEB0192	Invalid Inside Delivery Code. Please Pass "I" For Inside Delivery Or Blank.'
				WEB0340	Inside delivery and residential delivery are mutually exclusive.
142	residentialDelivery		One character; Use "R" if shipment is being delivered to a private residence.	WEB0193	Invalid Residential Delivery Code. Please Pass "R" For Residential Blank.'
				WEB0340	Inside delivery and residential delivery are mutually exclusive.
143	liftgateDelivery		One character; Use "L" if shipment requires liftgate service upon delivery.	WEB0194	Invalid Liftgate Delivery Code. Please Pass "L" For Liftgate Delv Or Blank.
144	guaranteedDeliveryOffering		One character; Guaranteed offering selection; Valid values are: '9' - guaranteed by 09:00am 'N' - guaranteed by Noon '3' - guaranteed by 3:30 pm or multi-day window '1' - guaranteed with less than 2 hour time window '2' - guaranteed with 2 hour or more time window; Optional. ' ' - no shipment guarantee requested	WEB0335	Please Select Guaranteed Delivery Option When Entering Guaranteed Date/Times.
				WEB0253	Guaranteed delivery option requires a valid date for delivery.
145	guaranteedDeliveryDate		Ten character; Guaranteed deliver by date; Format MM/DD/YYYY.	PND0368	Time Definite delivery date cannot beat the service standard.
				PND0367	Guaranteed delivery date can only be 1 day less than the service standard.
				PND0365	Delivery date is less than the service standard.
				WEB0346	Guaranteed delivery date cannot be less than normal service standards.
				PND0366	Delivery date is greater than the service standard.
				PND0113	Delv Date must be greater than pickup date for guaranteed delivery option
				PND0108	Delv Date required for guaranteed delivery option.
				PND0118	Delv Date may not be a Saturday/Sunday for guaranteed delivery option.
				PND0375	Time Definite delivery date cannot be next business day to this point.
				PND0224	Delivery Date is more than 60 calendar days from pickup date
				PND0121	Consignee is not open on the Delivery Date day of the week.
				PND0374	Delivery Date may not be more than 30 business days in the future.
146	guaranteedDeliveryWindowDate		Ten character; Guaranteed window date – end date of range; FORMAT MM/DD/YYYY	WEB0610	Guaranteed End Date required by Consignee
				WEB0611	Guaranteed End Date does not match Required Date
				WEB0612	Guaranteed End Date cannot be before Start Date
				WEB0613	GHT Window date is Greater than 7 days

				WEB0614	GHT Window date is greater than the GHT date plus duration
				WEB0615	Cannot have a Sunday Delivery
				WEB0616	Cannot have a Saturday Delivery
				WEB0617	Consignee Holiday - Closed
				WEB0618	Destination Terminal Holiday - Closed
147	guaranteedDeliveryOpenTime		Four digit numeric; Entered as military time. Guaranteed delivery consignee open time; Used in conjunction with guaranteed offerings 1 and 2 only.	PND0109	Delivery Open Time required for guaranteed delivery window.
				PND0116	Delivery Open Time is invalid for guaranteed delivery window.
				PND0156	Open Time must be within Guaranteed/TDD window of 5:00 to 20:00.
				WEB0329	Delivery Open/Close Times Not Valid When Guaranteed By 9:00am Requested.
				WEB0330	Delivery Open/Close Times Not Valid When Guaranteed By noon Requested.
				WEB0331	Delivery Open/Close Times Not Valid When Guaranteed By 3:30pm Requested.
				WEB0332	Guaranteed Time Window Option Selected With Times Matching Guar By 900am Service.
				WEB0333	Guaranteed Time Window Option Selected With Times Matching Guar By Noon Service.
				WEB0334	Guaranteed Time Window Option Selected With Times Matching Guar By 330pm Service.
				PND0119	Delivery Open/Close Times are not permitted for Day Definite Option.
				PND0127	Delivery date is a defined holiday for the Consignee.
				PND0128	Delivery date is a defined holiday for the destination terminal.
				PND0122	Consignee is not open during the Delivery Open Time entered.
148	guaranteedDeliveryCloseTime		Four digit numeric; Entered as military time. Guaranteed delivery consignee close time; Used in conjunction with guaranteed offerings 1 and 2 only.	PND0363	Delivery Close Time required for guaranteed delivery window.
				PND0364	Delivery Close Time is invalid for guaranteed delivery window.
				PND0157	Close Time must be within Guaranteed/TDD window of 5:00 to 20:00.
				PND0131	Close Time may not be before the Open Time for guaranteed delivery window.
				WEB0343	2 Hrs Or More Guaranteed Delv Option Selected-Open/Close Less Than 2 Hrs Apart.
				WEB0344	Less Than 2 Hrs Guaranteed Delv Option Selected-Opn/Close More Than 2 Hrs Apart.
				WEB0345	Guaranteed delv open/close times must be at least 1 hr apart for delivery option.
				PND0130	Consignee is not open during the Delivery Close Time entered.
				PND0372	Close Time must be within Guaranteed Time window of 09:00 and 20:00.
149	liftgatePickup		One character; Use "Y" if shipment being picked up requires a liftgate.	WEB0352	Invalid Liftgate Pickup Code. Please Pass "Y" For Liftgate Pickup Or Blank.
150	insidePickup		One character; Use "Y" if shipment being picked up is an inside pickup.	WEB0350	Invalid Inside Pickup Code. Please Pass "Y" For Inside Pickup Or Blank.

				WEB0347	Inside pickup and residential pickup are mutually exclusive.
151	residentialPickup		One character; Use "Y" if shipment being picked up is a residential pickup.	WEB0351	Invalid Residential Pickup Code. Please Pass "Y" For Residential or Blank.
				WEB0347	Inside pickup and residential pickup are mutually exclusive.
152	limited AccPickup		One character; Use "Y" if shipment being picked up has limited access getting to shipment.	WEB0378	Limited Access Pickup and residential pickup are mutually exclusive.
153	limitedAccDelivery		One character; Use "Y" if shipment being delivered has limited access.	WEB0379	Limited Access Delivery and residential delivery are mutually exclusive.
154	over		One character; Use "Y" if longest item on shipment is between 10ft and 45ft	WEB0380	Over length requires a length between 10 and 45 ft.
155	overLength		Two digit numeric; required only if over="Y".	WEB8000	Data truncation error

New Penn Bill Of Lading And Pickup/Return Response

RESPONSE PARAMETERS				
Field Number Identifier	Returned	XML Field Name	Description	
500	ALWAYS	returnMessage	Eighty character; Informational/Error message returned.	<p>Information messages will contain wording like --</p> <p>“has been assigned to this shipment”</p> <p>“shipment successfully changed”</p> <p>“shipment successfully cancelled”</p> <p>“shipment not changed”</p> <p>“We accepted your transaction by truncating data, see web service documentation”</p> <p>Error messages will contain wording as documented above in the New Penn Bill Of Lading And Pickup/Return Request Section.</p>
501		returnMessageId	Seven character; Informational/Error message identifier.	
502	ALWAYS	returnSuccessIdentifier	One character; Identifies transaction completed successfully or not; Values; 'Y' - success 'N' - not successful.	
503		returnUrlToViewAndPrintBol	Three hundred and forty character; URL to view and or print bill of lading.	
504		returnUrlToViewAndPrintShippingLabels	Three hundred and forty character; URL to view and or print shipping labels requested.	
505		returnTrackingNumber	Eight character; New Penn assigned shipment tracking number. This is also referred to as the New Penn pickup label number.	
506		returnBarCodeNumber	Nine character; New Penn value for use in generating bar code in 3 of 9 format.	

Example XML Request

```
- <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:q0="http://bolPuReturn.newpenn.com"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  - <soapenv:Body>
  - <q0:createUpdateCancel>
    <webUserName>your userid here</webUserName>
    <webServicePassword>your password here</webServicePassword>
    <requestType />
    <transactionType />
    <programMode>create</programMode>
    <trackingNumber />
    <rateQuoteNumber />
    <shipperName>shipper name</shipperName>
    <shipperStreetNumber>shipper street number</shipperStreetNumber>
    <shipperStreetName>shipper street name</shipperStreetName>
    <shipperCityName>shipper city name</shipperCityName>
    <shipperStateName>shipper state</shipperStateName>
    <shipperZipCode>shipper zip</shipperZipCode>
    <shipperContactName>shipper contact name</shipperContactName>
    <shipperPhoneAreaCode>shipper phone area code</shipperPhoneAreaCode>
    <shipperPhoneExchangeCode>shipper phone exchange</shipperPhoneExchangeCode>
    <shipperPhoneLastFour>shipper phone last four</shipperPhoneLastFour>
    <consigneeContactName>consignee contact name</consigneeContactName>
    <consigneePhoneAreaCode>consignee phone area code</consigneePhoneAreaCode>
    <consigneePhoneExchangeCode>consignee phone exchange</consigneePhoneExchangeCode>
    <consigneePhoneLastFour>consignee phone last four</consigneePhoneLastFour>
    <consigneeName>consignee name</consigneeName>
    <consigneeStreetAddress>consignee street address</consigneeStreetAddress>
    <consigneeSuite>consignee suite</consigneeSuite>
    <consigneeCityName>consignee city name</consigneeCityName>
    <consigneeStateName>consignee state</consigneeStateName>
    <consigneeZipCode>consignee zip</consigneeZipCode>
    <personEnteringBillOfLadingName>person entering bol</personEnteringBillOfLadingName>
    <personEnteringBillOfLadingPhoneAreaCode>person entering bol phone area code</personEnteringBillOfLadingPhoneAreaCode>
    <personEnteringBillOfLadingPhoneExchangeCode>person entering phone exchange</personEnteringBillOfLadingPhoneExchangeCode>
    <personEnteringBillOfLadingPhoneLastFour>person entering phone last four</personEnteringBillOfLadingPhoneLastFour>
    <shipmentDate>shipment date</shipmentDate>
    <shipperOpenTime>shipper open time</shipperOpenTime>
    <shipperCloseTime>shipper close time</shipperCloseTime>
```

<freightPaymentTerms>**freight payment terms**</freightPaymentTerms>
<deliveryAppointmentRequiredYN />
<purchaseOrderNumber />
<noPurchaseOrderNumber />
<shipperSuppliedBol />
<thirdPartyAttentionName />
<thirdPartyName />
<thirdPartyAddress />
<thirdPartyCity />
<thirdPartyState />
<thirdPartyZipCode />
<codRemitToName />
<codRemitToAddress />
<codRemitToCity />
<codRemitToState />
<codRemitToZipCode />
<codFeeTerms />
<codCollectType />
<codDollarAmount />
<emergencyResponseNumberAreaCode />
<emergencyResponseNumberExchangeCode />
<emergencyResponseNumberLastFour />
<emergencyContactPerson />
<hadazardousContract />
<shipmentComment />
<shipperAndConsigneeRelatedCompanies />
<quantityLine1>**quantity line 1**</quantityLine1 >
<shippingUnitTypeLine1>**shipping unit type 1**</shippingUnitTypeLine1 >
<descriptionOfArticlesLine1 >**description of articles 1**</descriptionOfArticlesLine1 >
<commodityClassLine1>**commodity class 1**</commodityClassLine1 >
<weightLine1>**weight 1**</weightLine1 >
<hazardousMaterialIndicatorLine1 />
<poisonIndicatorLine1 />
<foodIndicatorLine1 />
<declaredValueDollarsLine1 />
<declaredValueCentsLine1 />
<scheduleBNumber1 />
<quantityLine2 />
<shippingUnitTypeLine2 />
<descriptionOfArticlesLine2 />
<commodityClassLine2 />
<weightLine2 />
<hazardousMaterialIndicatorLine2 />

<poisonIndicatorLine2 />
<foodIndicatorLine2 />
<declaredValueDollarsLine2 />
<declaredValueCentsLine2 />
<scheduleBNumber2 />
<quantityLine3 />
<shippingUnitTypeLine3 />
<descriptionOfArticlesLine3 />
<commodityClassLine3 />
<weightLine3 />
<hazardousMaterialIndicatorLine3 />
<poisonIndicatorLine3 />
<foodIndicatorLine3 />
<declaredValueDollarsLine3 />
<declaredValueCentsLine3 />
<scheduleBNumber3 />
<quantityLine4 />
<shippingUnitTypeLine4 />
<descriptionOfArticlesLine4 />
<commodityClassLine4 />
<weightLine4 />
<hazardousMaterialIndicatorLine4 />
<poisonIndicatorLine4 />
<foodIndicatorLine4 />
<declaredValueDollarsLine4 />
<declaredValueCentsLine4 />
<scheduleBNumber4 />
<quantityLine5 />
<shippingUnitTypeLine5 />
<descriptionOfArticlesLine5 />
<commodityClassLine5 />
<weightLine5 />
<hazardousMaterialIndicatorLine5 />
<poisonIndicatorLine5 />
<foodIndicatorLine5 />
<declaredValueDollarsLine5 />
<declaredValueCentsLine5 />
<scheduleBNumber5 />
<quantityLine6 />
<shippingUnitTypeLine6 />
<descriptionOfArticlesLine6 />
<commodityClassLine6 />
<weightLine6 />


```
<hazardousMaterialIndicatorLine6 />
<poisonIndicatorLine6 />
<foodIndicatorLine6 />
<declaredValueDollarsLine6 />
<declaredValueCentsLine6 />
<scheduleBNumber6 />
<shipmentSizeInLength />
<shipmentSizeInWidth />
<declaredValueDollars />
<declaredValueCents />
<excessLiabilityDollars />
<excessLiabilityCents />
<shipLabelStartPosition />
<numberOfShipLabelsDesired />
<bolEmailAddress />
<bolEmailComment />
<deliveryNotificationEmailAddress1 />
<deliveryNotificationEmailAddress2 />
<damageOccursUponFreezing />
<emptyTrailerRequired />
<insideDelivery />
<residentialDelivery />
<liftgateDelivery />
<guaranteedDeliveryOffering />
<guaranteedDeliveryDate />
<guaranteedDeliveryOpenTime />
<guaranteedDeliveryCloseTime />
<liftgatePickup />
<insidePickup />
<residentialPickup />
<limitedAccPickup />
<limitedAccDelivery />
<over />
<overLength />
</q0:createUpdateCancel>
</soapenv:Body>
</soapenv:Envelope>
```

Note that all values are STRING values.

Example XML Response

```
- <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
- <soapenv:Body>
  - <p628:createUpdateCancelResponse xmlns:p628="http://bolPuReturn.newpenn.com">
    - <createUpdateCancelReturn>
      - <BolPuReturnResult>
        <returnMessage>Pickup Request for 01/20/2014 successfully created.</returnMessage>
        <returnMessageId />
        <returnSuccessIdentifier>Y</returnSuccessIdentifier>
        <returnUriToViewAndPrintBol />
        <returnUriToViewAndPrintShippingLabels />
        <returnTrackingNumber>12345678</returnTrackingNumber>
        <returnBarCodeNumber>123456782</returnBarCodeNumber>
      </BolPuReturnResult>
    - <BolPuReturnResult>
      <returnMessage>Your New Penn Tracking # 12345678 has been assigned to this shipment.</returnMessage>
      <returnMessageId />
      <returnSuccessIdentifier>Y</returnSuccessIdentifier>
      <returnUriToViewAndPrintBol>http://TEST.WEBSERVICES.NEWPENN.COM/PDF/BOLPDFINT/WEBMONT/211537_00000
        1_BOLPDF_00000000_000001.PDF</returnUriToViewAndPrintBol>
      <returnUriToViewAndPrintShippingLabels />
      <returnTrackingNumber>12345678</returnTrackingNumber>
      <returnBarCodeNumber>123456782</returnBarCodeNumber>
    </BolPuReturnResult>
  </createUpdateCancelReturn>
</p628:createUpdateCancelResponse>
</soapenv:Body>
</soapenv:Envelope>
```

Note that all values are STRING values.

New Penn Bill Of Lading And Pickup/Return WSDL changes

```
<wsdl:port binding="impl:BoIPuReturn10SoapBinding" name="BoIPuReturn10">  
  <wsdlsoap:address location="http://localhost:9080/boIPuReturn10NP/services/BoIPuReturn10" />  
</wsdl:port>
```

Becomes...

Test:

```
<wsdl:port binding="impl:BoIPuReturn10SoapBinding" name="BoIPuReturn10">  
  <wsdlsoap:address location="http://test.webservices.newpenn.com/boIPuReturn10NP/services/BoIPuReturn10" />  
</wsdl:port>
```

Or...

Production:

```
<wsdl:port binding="impl:BoIPuReturn10SoapBinding" name="BoIPuReturn10">  
  <wsdlsoap:address location="http://www.webservices.newpenn.com/boIPuReturn10NP/services/BoIPuReturn10" />  
</wsdl:port>
```